





HUMAN CENTRIC

HORTICULTURAL

0.5

PAGE

LANDSCAPE & GARDEN **NEW** - WALL WASHING **NEW** - WALL GRAZING 07 **RETAIL** 08

EMERGENCY UV-C **STREET ARCHITECTURAL**

WIDE AREA INDUSTRIAL

WALL GRAZER / WALL WASHER INNOVATIVE TRI-EXTRUDED OPTIC

STANDARD RANGE

10mm • 20mm • 26.5mm • 30mm • Arrays

The standard range includes a diverse collection of TIR optics from the various 10 - 30mm optics, available in plain and frosted finishes to the hybrid and array optics.

WWW.CARCIO-OPTICS.COM







NWW.CARCLO

APPLICATIONS

HUMAN CENTRIC LIGHTING



60147 BAFFLE - **NEW**



















Carclo Optics Standard Range 2022-23



HORTICULTURAL LIGHTING










































LANDSCAPE & GARDEN



Carclo Optics Standard Range 2022-23

WALL WASHING - 60153


The term wall washing describes the lighting technique used to evenly illuminate a wall vertically and horizontally by mounting luminaires close to the wall.

When set up correctly, the lighting can provide spacial illusions making a room seem larger than it actually is by concealing the surface imperfections and minimising or removing shadows.


Asymmetric and symmetric collimated light beams are used to 'wash' over a selected portion of the wall, or illuminate a particular wall mounted object.

The Wall Washer from Carclo offers a 30 degree asymmetric beam angle and has been designed specifically for this purpose.

INNOVATIVE **TRI-EXTRUSION** TIR STRIP OPTIC



- 1. DIFFUSION LAYER
- 2. IP65 SEALING STRIPS
- 3. TIR STRIP OPTIC




www.carclo-optics.com

WALL GRAZING - 60152

Wall grazing is the term applied to the technique of enhancing the textures of the illuminated surface. When designed properly, the light 'skims' or 'grazes' the focus area revealing the subtle textures and bringing out the beauty of materials such as stone, wood, mosaic work, fabrics and etched glass etc.

The narrow beam angle (20 Degrees) offered by the innovative Carclo Wall Grazer is perfect for highlighting these attractive qualities.

The new Wall Washer and Wall Grazer from Carclo Optics, have been created using an innovative Tri-Extrusion method in which 3 materials are simultaneously extruded resulting in a single optic.



The TIR strip optic, is made from clear, UV stabilised polycarbonate with a coextruded diffusion layer giving a smooth light distribution free of artefacts with optimised CoA (colour over angle) control and transmission efficiency. There are 2 TPE flexible sealing strips flanking the optic and, as with the other two materials included in the extrusion, these are also UV resistant.

The aluminium outer housing is anodised to 25 microns and meets Standard ISO7599:2018.

SPECIFICATIONS:

IP RATING: IP65 Suitable for low pressure wash down

TIR Tri-Extruded Optics:

Wall Grazer - Symmetric Wall Washer - Asymmetric Clear, UV stabilised polycarbonate 0.5mm high transmission diffusion layer

Carclo Optics Standard Range 2022-23

Aluminium Housing

Meets Standard ISO7599:2018 (Architectural Anodising) AA25 Clear 25 micron minimum average thickness

APPLICATIONS

Architectural Lighting Landscape Lighting Garden Lighting

* Customer Supplied Parts



RETAIL LIGHTING



























Carclo Optics Standard Range 2022-23



EMERGENCY LIGHTING

























STREET LIGHTING

MINI HUBBLES

The Mini Hubble range of Free Form Optics are available in single and array configurations. There is now a free form optic to suit your requirements, whatever they may be. The range conforms to numerous standards including US Type I - V and European ME.









12763

12765

12768

12769



APPLICATIONS

UV-C LIGHTING

PART NUMBERS:

12530

Dimensions:

17.0mm

Optic Type

Reflector

Beam Type:

Medium Spot

Finish:

Diffuse

12530



PART NUMBERS:

12527

Dimensions:

17.0mm

Optic Type:

Reflector

Beam Type:

Wide Spot

Finish:

Diffuse





12771

12774

12781

12782

12527


carclo Optic WWW.CARCLO-OPTICS.COM

APPLICATIONS

ARCHITECTURAL LIGHTING























INDUSTRIAL























